

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier**Trade name: **Raumklima Scheibenputz****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation: Plaster**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Knauf Gips KG

Postfach 10

97343 Iphofen

Deutschland

Tel +49 (0)9323/31 - 0

Fax +49 (0)9323/31 - 277

Further information obtainable from:

Technical information service

Tel +49 (0)9001/31-2000 (see point 16)

E-mail Knauf-Direkt@Knauf.de

1.4 Emergency telephone number:

Hotline for symptoms of poisoning and embryonic toxicology, Berlin

Tel +49 (0)30-19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R36: Irritating to eyes.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

Hazard pictograms

GHS05

Signal word Danger**Hazard-determining components of labelling:**

calcium dihydroxide

Hazard statements

H318 Causes serious eye damage.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz**Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

The preparation is alkaline and care should be taken when preparing, e.g. avoid prolonged periods of contact with the skin, wear gloves.

Results of PBT and vPvB assessment




PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients**Chemical characterisation: Mixtures****Description:**

Premixed plaster made of hydrated lime, calcium aluminate sulfate, mineral fillers, marble chips, polymer dispersion, titanium dioxide, water and additives.

Dangerous components:

CAS: 1305-62-0	calcium dihydroxide	<10%
EINECS: 215-137-3	 Xi R37/38-41	
Reg.nr.: 01-2119475151-45-XXXX	 Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3, H335	

Further components:

CAS-No.: 12004-14-7	calcium aluminate sulfate
EINECS-No.: 234-448-5	
REACH-Registration-No.: 05-2116721221-63-XXXX	

Additional information: For the wording of the listed risk phrases refer to section 16.

Remark: Materials with a threshold value for exposure in the workplace – see point 8.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information: Change any soiled or impregnated clothing.

After inhalation: Supply fresh air.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and throat area with water.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Causes serious eye damage.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

5.3 Advice for firefighters**Protective equipment:** No special measures required.**Additional information** The product is not flammable.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

6.2 Environmental precautions: Do not allow to enter sewers / surface or ground water.**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** Keep receptacles tightly sealed.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.**SECTION 8: Exposure controls/personal protection****Additional information about design of technical facilities:** No further data; see item 7.**8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1305-62-0 calcium dihydroxide (< 10%)**WEL Long-term value: 5 mg/m³**Remark** A = alveolar fraction, E = inhalable fraction**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz**Respiratory protection:** Not required.**Protection of hands:**

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves Cotton gloves impregnated with nitrile.**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Eye glasses with side protection.

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**General Information****Appearance:**

Form:	Pasty
Colour:	White
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	12.4

Change in condition

Melting point/Melting range:	Not applicable.
Boiling point/Boiling range:	Not applicable. Undetermined.

Flash point: Not applicable.**Flammability (solid, gaseous):** Not applicable.**Ignition temperature:** Not applicable.**Decomposition temperature:** as of ~150 °C**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Vapour pressure at 20 °C:** 23 hPa**Density at 20 °C:** 1.8 g/cm³**Relative density** Not determined.**Vapour density** Not applicable.**Evaporation rate** Not applicable.**Solubility in / Miscibility with water:** Fully miscible.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.**10.4 Conditions to avoid** Avoid damp conditions.**10.5 Incompatible materials:** Acids.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity:****Primary irritant effect:****on the skin:** Frequent and sustained contact could cause slight irritation.**on the eye:** Irritating effect.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13 Waste treatment methods****Recommendation** Dried material can be disposed of with household waste.

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz**European waste catalogue**

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN-Number	
ADR, IMDG, IATA	Void
14.2 UN proper shipping name	
ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	-

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations:****Waterhazard class:**

Water hazard class 1 (VwVwS Germany 17.05.1999): slightly hazardous for water.

Information VOC-Guideline:**Guideline 2004/42/EC (Decopaint-Guideline), ChemVOCFarbV:**

The product is not subject to directive 2004/42/EC.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

Department issuing MSDS: Knauf Gips KG, Abteilung Nachhaltigkeit und REACH, 97343 Iphofen**Contact:**

Technical information service (see point 1)

A call to Knauf Direkt will be charged at 0.39 € per minute. Callers, the telephone numbers of whom are not saved in the Knauf Gips KG address database, e.g. private property owners or non-

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 05.02.2015

Version: 1 (GB)

Revision: 09.01.2015

Trade name: Raumklima Scheibenputz

customers, will pay 1.69 € per minute from the German network. Callers using mobile telephones will be charged according to the network provider and tariff.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3