

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

**1.1 Product identifier**Trade name: **Rotband Filz****1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the preparation:** Plaster**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Knauf Gips KG

Postfach 10

97343 Iphofen

Deutschland

Tel +49 (0)9323/31 - 0

Fax +49 (0)9323/31 - 277

**Further information obtainable from:**

Technical information service

Tel +49 (0)9001/31-2000 (see point 16)

E-mail Knauf-Direkt@Knauf.de

**1.4 Emergency telephone number:**

Hotline for symptoms of poisoning and embryonic toxicology, Berlin

Tel +49 (0)30-19240

\* **SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS05

**Signal word** Danger**Hazard-determining components of labelling:**

calcium dihydroxide

**Hazard statements**

H318 Causes serious eye damage.

**Precautionary statements**

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**Trade name: Rotband Filz**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

When water has been added, the product develops an alkali pH value and can then have an irritating effect.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****Chemical characterisation: Mixtures****Description:**

Calcium sulfate of differing hydrate levels with additives (lime hydrate, mineral lightweight aggregates, tenside, cellulose ether, natural oxycarboxylic acids).

**Dangerous components:**

CAS: 1305-62-0 calcium dihydroxide <5%  
EINECS: 215-137-3 Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3,  
Reg.nr.: 01-2119475151-45-XXXX H335

**Further components:**

CAS: 7778-18-9 calcium sulfate  
EINECS: 231-900-3  
Reg.nr.: 01-2119444918-26-XXXX

**Additional information:** For the wording of the listed risk phrases refer to section 16.**Remark:** Materials with a threshold value for exposure in the workplace – see point 8.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Change any soiled or impregnated clothing.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Wash off with water and soap and rinse again.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. Remove contact lenses, if easy to do. Continue rinsing. If symptoms persist, consult a doctor.

**After swallowing:**

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

**4.2 Most important symptoms and effects, both acute and delayed**

After eye contact: Irritating to eyes.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

Trade name: **Rotband Filz****SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**For safety reasons unsuitable extinguishing agents:** None.**5.2 Special hazards arising from the substance or mixture** None.**5.3 Advice for firefighters****Protective equipment:** No special measures required.**Additional information**

Product corroborates upon contact with water.

The product is not flammable.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Avoid formation of dust.

Do not inhale dust.

Product forms slippery surface when combined with water.

**6.2 Environmental precautions:** Do not allow to enter sewers / surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Pick up (dry) mechanically.

Avoid formation of dust.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

Prevent formation of dust.

Do not inhale dust.

**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****Additional information about design of technical facilities:** No further data; see item 7.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**Trade name: Rotband Filz****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 1305-62-0 calcium dihydroxide (<5%)**WEL Long-term value: 5 mg/m<sup>3</sup>**Remark** A = alveolar fraction, E = inhalable fraction**Additional information:** The lists valid during the making were used as basis.**8.2 Exposure controls****General protective and hygienic measures:**

Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

**Respiratory protection:** Wear dust mask FFP2 if dust forms.**Protection of hands:**

Wear protective gloves if exposed to prolonged or repeated contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:** In case of product splashes use protective glasses.**Body protection:** Protective work clothing**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:****Form:**

Powder

**Colour:**

white, white-beige, white-grey

**Odour:**

Odourless

**Odour threshold:**

Not determined.

**pH-value:**Not applicable in the supplied state, aqueous suspension  
10-12.**Change in condition****Melting point/Melting range:**

Not applicable.

**Boiling point/Boiling range:**

Not applicable.

**Flash point:**

Not applicable.

**Flammability (solid, gaseous):**

Not applicable.

**Ignition temperature:**

Not applicable.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**Trade name: Rotband Filz**

<b>Decomposition temperature:</b>	Not determined.
<b>Self-igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Vapour pressure:</b>	Not applicable.
<b>Density:</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Solubility in / Miscibility with water:</b>	c. 2 g/l (20 °C)
<b>Partition coefficient (n-octanol/water):</b>	Not applicable.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
<b>9.2 Other information</b>	Thermal decomposition of gypsum in CaSO <sub>4</sub> and H <sub>2</sub> O from 140 °C in CaO and SO <sub>3</sub> from 1000 °C

**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.  
Avoid damp conditions.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials:** None known.**10.6 Hazardous decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Primary irritant effect:****Skin corrosion/irritation** Frequent and sustained contact could cause slight irritation.**Serious eye damage/irritation** Irritating effect.**Respiratory or skin sensitisation** No sensitising effects known.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**Trade name: Rotband Filz****12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13 Waste treatment methods****Recommendation** Disposal must be made according to official regulations.**European waste catalogue**

17 08 02 gypsum-based construction materials other than those mentioned in 17 08 01

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

**Uncleaned packaging:****Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**SECTION 14: Transport information****14.1 UN-Number****ADR, IMDG, IATA** Void**14.2 UN proper shipping name****ADR** Void**IMDG, IATA** Void**14.3 Transport hazard class(es)****ADR, IMDG, IATA****Class** Void**14.4 Packing group****ADR, IMDG, IATA** Void**14.5 Environmental hazards:** Not applicable.**14.6 Special precautions for user** Not applicable.**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.**UN "Model Regulation":** -**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations:****Waterhazard class:**

Water hazard class 1 (VwVwS Germany 27.07.2005, Anhang 4): slightly hazardous for water.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 10.09.2015

Version: 2 (GB)

Revision: 10.09.2015

**Trade name: Rotband Filz****15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

**Department issuing MSDS:** Knauf Gips KG, Abteilung Nachhaltigkeit und REACH, 97343 Iphofen**Contact:**

Technical information service (see point 1)

A call to Knauf Direkt will be charged at 0.39 € per minute. Callers, the telephone numbers of whom are not saved in the Knauf Gips KG address database, e.g. private property owners or non-customers, will pay 1.69 € per minute from the German network. Callers using mobile telephones will be charged according to the network provider and tariff.

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

**\* Data compared to the previous version altered.**