#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 2022/10/20 Revision date: 2022/10/20 Supersedes version of: 2019/5/23 Version: 5.0



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form · Mixture Product name : Biorit Grund Product code : 10335 0010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use. Consumer use.

Use of the substance/mixture Plaster

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Knauf Gips KG Am Bahnhof, 7

DE- 97346 Iphofen - Bayern

Germany

T +49 9323/31-0 - F +49 9323/31-277

zentrale@knauf.de - www.knauf.de

E-mail address of competent person responsible for the SDS : sds-

info@knauf.com

#### 1.4. Emergency telephone number

No additional information available

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2 H315

Eye Dam. 1 H318

Full text of hazard classes, H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains : calcium dihydroxide, Portland cement, calcium oxide

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

**Technical information** 

knauf-direkt@knauf.de

Technical information service

T +49 (0)9001/31-2000 (see section 16)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P280 - Wear protective gloves, eye protection, protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 - Get medical advice/attention. P362 - Take off contaminated clothing.

Extra phrases : In case of proper storage in a dry location low in chromate content for at least 9 months

from date of manufacture.

# 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
quartz, conc respirable crystalline silica<1% (14808-60-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Portland cement (65997-15-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
calcium oxide (1305-78-8)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
calcium dihydroxide (1305-62-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
quartz, conc respirable crystalline silica<1% substance with a Community workplace exposure limit	CAS-No.: 14808-60-7 EC-No.: 238-878-4	> 50	Not classified
Portland cement	CAS-No.: 65997-15-1 EC-No.: 266-043-4	< 10	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
calcium oxide substance with a Community workplace exposure limit	CAS-No.: 1305-78-8 EC-No.: 215-138-9 REACH-no: 01-2119475325- 36	< 10	Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
calcium dihydroxide substance with a Community workplace exposure limit	CAS-No.: 1305-62-0 EC-No.: 215-137-3 REACH-no: 01-2119475151- 45	< 10	Eye Dam. 1, H318 Skin Irrit. 2, H315 STOT SE 3, H335
Flue Dust	CAS-No.: 68475-76-3 EC-No.: 270-659-9 REACH-no: 01-2119486767- 17	< 3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT SE 3, H335

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Comments : Low in chromate according to EU-Regulation 1907/2006 (REACH).

The contained Portland cement is white cement.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Take off contaminated clothing. Wash contaminated clothing before reuse.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek

medical advice.

First-aid measures after skin contact : Rinse and then wash skin thoroughly with water and soap. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth thoroughly with water. Immediately give plenty of water. Get medical

advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.

Symptoms/effects after eye contact : Serious damage to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : The product is not flammable. If there is a fire close by, use suitable extinguishing agents.

Unsuitable extinguishing media : No unsuitable extinguishing media known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard . Not combustible

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid dust formation.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

2022/10/20 (Revision date) EU - en 3/12

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Avoid dust formation.

#### 6.4. Reference to other sections

For further information refer to section 13. 7.1. Precautions for safe handling. 8. Exposure controls/personal protection.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid dust formation. Avoid breathing dust.

Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Store in a dry, cool area.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

calcium dihydroxide (1305-62-0)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Calcium dihydroxide	
IOEL TWA	1 mg/m³ (Respirable fraction)	
IOEL STEL	4 mg/m³ Respirable fraction	
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164	
quartz, conc respirable crystalline silica<1% (14808-60-7)		
EU - Indicative Occupational Exposure Limit (IOEL)		
I and a succession	Office and the County	

# Local name Silica crystaline (Quartz)

IOEL TWA 0,1 mg/m³ (Respirable fraction)

Remark (Year of adoption 2003)

#### calcium oxide (1305-78-8)

Regulatory reference

#### **EU - Indicative Occupational Exposure Limit (IOEL)**

indicative decapational Exposure Emili (IOEE)	
Local name	Calcium oxide
IOEL TWA	1 mg/m³ (Respirable fraction)
IOEL STEL	4 mg/m³ (Respirable fraction)
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164

SCOEL Recommendations

#### 8.1.2. Recommended monitoring procedures

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Protective goggles

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses			EN 166

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)			EN ISO 374

#### 8.2.2.3. Respiratory protection

Respiratory protection			
Device	Filter type	Condition	Standard
Dust mask	Type P2	Dust protection	EN 149

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour Grey. Beige. **Appearance** Powders. Odour earthy. Odour threshold Not available Melting point Not available Freezing point Not available Boiling point : Not available Flammability : Not available **Explosive limits** : Not applicable Lower explosion limit : Not applicable : Not applicable Upper explosion limit : Not applicable Flash point : Not applicable Auto-ignition temperature Decomposition temperature : Not available

pH : 11 – 13 Saturated solution

pH solution : Not available Viscosity, kinematic : Not applicable : Not available Solubility Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not applicable : Not available Particle size Particle size distribution : Not available : Not available Particle shape : Not available Particle aspect ratio : Not available Particle aggregation state Particle agglomeration state : Not available Particle specific surface area : Not available Particle dustiness : Not available

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Bulk density :  $600 - 1500 \text{ kg/m}^3$ 

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (inhalation)	: Not classified
calcium dihydroxide (1305-62-0)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2500 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6,04 mg/l (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 15 day(s))
calcium oxide (1305-78-8)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2500 mg/kg bodyweight (EU Method B.3: Acute toxicity (dermal), 24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 6,04 mg/l (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 15 day(s))
Flue Dust (68475-76-3)	
LD50 oral rat	> 1848 mg/kg bodyweight Animal: rat, Guideline: other:OECD 422
LD50 dermal rat	≥ 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 6,04 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
Skin corrosion/irritation	: Causes skin irritation.
	pH: 11 – 13 Saturated solution
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 11 – 13 Saturated solution
Respiratory or skin sensitisation	: Not classified.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified : Not classified

ı	quartz,	conc	respirable	crystalline	silica<1%	(14808-60-7)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified.

calcium dih	ydroxide (	(1305-62-0)
-------------	------------	-------------

STOT-single exposure May cause respiratory irritation.

#### Portland cement (65997-15-1)

STOT-single exposure May cause respiratory irritation.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

calcium oxide (1305-78-8)		
STOT-single exposure	May cause respiratory irritation.	
Flue Dust (68475-76-3)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
Aspiration hazard :	Not classified	

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified : Not classified

(chronic)	
calcium dihydroxide (1305-62-0)	
LC50 - Fish [1]	50,6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	49,1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
EC50 72h - Algae [1]	184,57 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
Portland cement (65997-15-1)	
LC50 - Fish [1]	> 1000 mg/l (96 h, Pisces)

calcium oxide (1305-78-8)	
LC50 - Fish [1]	50,6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Read-across, GLP)
EC50 - Crustacea [1]	49,1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Read-across, Locomotor effect)
ErC50 algae	184,57 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Read-across, GLP)
Flue Dust (68475-76-3)	

Flue Dust (68475-76-3)	
EC50 72h - Algae [1]	28,2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	22,4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

# 12.2. Persistence and degradability

calcium dihydroxide (1305-62-0)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
quartz, conc respirable crystalline silica<1% (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

quartz, conc respirable crystalline silica<1% (14808-60-7)		
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
Portland cement (65997-15-1)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
BOD (% of ThOD)	Not applicable	
calcium oxide (1305-78-8)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	

Not applicable (inorganic)

# 12.3. Bioaccumulative potential

ThOD

calcium dihydroxide (1305-62-0)		
Bioaccumulative potential	Not bioaccumulative.	
quartz, conc respirable crystalline silica<1% (14808-60-7)		
Bioaccumulative potential	No bioaccumulation data available.	
Portland cement (65997-15-1)		
Bioaccumulative potential	No bioaccumulation data available.	
calcium oxide (1305-78-8)		
Bioaccumulative potential	Not bioaccumulative.	

# 12.4. Mobility in soil

calcium dihydroxide (1305-62-0)		
Surface tension	72 mN/m (20 °C, 0.1 %, OECD 115: Surface Tension of Aqueous Solutions)	
Ecology - soil	Adsorbs into the soil.	
quartz, conc respirable crystalline silica<1% (14808-60-7)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
Portland cement (65997-15-1)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	
calcium oxide (1305-78-8)		
Surface tension	No data available in the literature	
Ecology - soil	No (test)data on mobility of the substance available.	

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

2022/10/20 (Revision date) EU - en 9/12

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Empty the packaging completely prior to disposal. Dirty containers cannot be handled as

normal waste.

European List of Waste (LoW) code : 17 09 03\* - other construction and demolition wastes (including mixed wastes) containing

dangerous substances 17 01 01 - concrete

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# 14.1. UN number or ID number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

**RID** 

Transport hazard class(es) (RID) : Not applicable

# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors) Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain

substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

#### **SECTION 16: Other information**

Other information : Technical information service (see point 1):

A call to Knauf Direkt will be charged at 0.39 € per minute. Callers, the telephone numbers of whom are not saved in the Knauf Gips KG address database, e.g. private property owners or noncustomers, will pay 1.69 € per minute from the German network. Callers using mobile telephones will be charged according to the network provider and tariff.

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H315	Causes skin irritation.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Knauf SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.