

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Speedero  
Product code : 10642\_0010

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use.  
Use of the substance/mixture : Foaming product  
Polyurethane

##### 1.2.2. Uses advised against

Restrictions on use : Use only by persons trained in the use of epoxy and polyurethane based materials

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

Knauf Gips KG  
Am Bahnhof, 7  
DE- 97346 Iphofen – Bayern  
Germany  
T +49 9323/31-0 - F +49 9323/31-277  
[zentrale@knauf.de](mailto:zentrale@knauf.de) - [www.knauf.de](http://www.knauf.de)

E-mail address of competent person responsible for the SDS : [sds-info@knauf.com](mailto:sds-info@knauf.com)

##### Technical information

Technical information service  
T +49 (0)9001/31-2000 (see section 16)  
[knauf-direkt@knauf.de](mailto:knauf-direkt@knauf.de)

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1	H222;H229
Acute Tox. 4 (Inhalation:gas)	H332
Skin Irrit. 2	H315
Eye Irrit. 2	H319
Resp. Sens. 1	H334
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 3	H335
STOT RE 2	H373

Full text of hazard classes, H- and EUH-statements: see section 16

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

Signal word (CLP)

: Danger

Contains

: Polymethylene polyphenyl isocyanate

Hazard statements (CLP)

: H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation.

H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

Extra phrases

: VOC content: % Min: 19,79 Max: 20,56 (187,96 g/L - 195,34 g/L).

## 2.3. Other hazards

Other hazards which do not result in classification : Gas/vapour spreads at floor level: ignition hazard.

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

Component	
Polymethylene polyphenyl isocyanate (9016-87-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
dimethyl ether, liquefied, under pressure (115-10-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polymethylene polyphenyl isocyanate	CAS-No.: 9016-87-9 EC-No.: 618-498-9 REACH-no: 01-2119457024-46	< 25	Carc. 2, H351 Resp. Sens. 1, H334 Skin Sens. 1, H317 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Reaction mass of tris(2-chloropropyl) phosphate and tris(2-chloro-1-methylethyl) phosphate and Phosphoric acid, bis(2-chloro-1-methylethyl) 2-chloropropyl ester and Phosphoric acid, 2-chloro-1-methylethyl bis(2-chloropropyl) ester	EC-No.: 911-815-4 REACH-no: 01-2119486772-26	< 25	Acute Tox. 4 (Oral), H302
dimethyl ether, liquefied, under pressure substance with a Community workplace exposure limit	CAS-No.: 115-10-6 EC-No.: 204-065-8 EC Index-No.: 603-019-00-8 REACH-no: 01-2119472128-37	> 1	Flam. Gas 1A, H220 Press. Gas

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.
First-aid measures after skin contact	: Wash immediately with lots of water. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Consult a doctor/medical service if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Dry/sore throat. Cough. Respiratory tract irritation. Irritation of the nasal mucous membranes. Runny nose. FOLLOWING SYMPTOMS MAY APPEAR LATER: Possible inflammation of the respiratory tract. Risk of lung oedema. Difficulty in breathing.
Symptoms/effects after skin contact	: Tingling/irritation of the skin.
Symptoms/effects after eye contact	: Irritation of the eye tissue. Causes eyes to water.
Symptoms/effects after ingestion	: No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: ABC-powder. BC-powder.
Unsuitable extinguishing media	: Water. Foam. Carbon dioxide (CO <sub>2</sub> ).

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

- Reactivity in case of fire : pressure rise and possible bursting of container. May polymerize on exposure to temperature rise.
- Hazardous decomposition products in case of fire : On burning: release of toxic and corrosive gases/vapours (phosphorus oxides, hydrogen chloride, carbon monoxide - carbon dioxide). Nitrous fumes. Hydrogen cyanide.

### 5.3. Advice for firefighters

- Firefighting instructions : Physical explosion risk: extinguish/cool from behind cover. If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat. After cooling: persistent risk of physical explosion. Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water.
- Protection during firefighting : Complete protective clothing. Self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop engines and no smoking. No flames, no sparks. Eliminate all sources of ignition. Use spark-/explosionproof appliances and lighting system.
- 6.1.1. For non-emergency personnel**
- Protective equipment : Gloves. Protective goggles. Head/neck protection. Protective clothing.
- 6.1.2. For emergency responders**
- No additional information available

### 6.2. Environmental precautions

Contain the spilled material by bunding. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Carefully collect the spill/leftovers. Mechanically recover the product. Leave the product to solidify. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling. Clear contaminated areas thoroughly. Acetone.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
- Precautions for safe handling : Use spark-/explosionproof appliances and lighting system. Take precautionary measures against static discharges. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with skin. Remove soiled clothing promptly. Observe very strict hygiene - avoid contact.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep cool. Keep out of direct sunlight. Use appropriate ventilation. Access forbidden to unauthorised personnel. Keep away from open flames, hot surfaces and sources of ignition. Fireproof storeroom.
- Incompatible products : Strong acids. Strong bases. Amines.
- Maximum storage period : 1 year
- Storage temperature : < 50 °C

### 7.3. Specific end use(s)

Comply with instructions for use (refer to technical sheet).

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

dimethyl ether, liquefied, under pressure (115-10-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Dimethylether
IOEL TWA	1920 mg/m <sup>3</sup>
IOEL TWA [ppm]	1000 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Use only non-sparking tools. Use spark-/explosionproof appliances and lighting system. Take precautionary measures against static discharge. Ensure exposure is below occupational exposure limits (where available).

##### 8.2.2. Personal protection equipment

###### Personal protective equipment symbol(s):



###### 8.2.2.1. Eye and face protection

Eye protection			
Type	Field of application	Characteristics	Standard
Sealed safety goggles			

###### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear proper protective equipment. Head/neck protection

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	low density polyethylene (LDPE)				EN ISO 374

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.3. Respiratory protection

Respiratory protection			
Device	Filter type	Condition	Standard
Respiratory protection, Full face mask	Type A	If conc. in air > exposure limit	

### 8.2.2.4. Thermal hazards

#### Thermal hazard protection:

Keep away from any flames or sparking source.

### 8.2.3. Environmental exposure controls

#### Consumer exposure controls:

Do not drink, eat or smoke in the workplace.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Appearance	: Aerosol.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Extremely flammable aerosol.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: insoluble in water. Soluble in organic solvents. Water: Insoluble Organic solvent: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 950 kg/m <sup>3</sup> (20 °C)
Relative density	: ≥ 0,95 (20 °C)
Relative vapour density at 20°C	: > 1
Particle characteristics	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 19,79 – 20,56 % (187,96 g/L - 195,34 g/L)

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. Gas/vapour spreads at floor level: ignition hazard.

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

May polymerize. Reacts with : acids and bases. Amines.

### 10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid the build-up of electrostatic charge. Use spark-/explosionproof appliances and lighting system.

### 10.5. Incompatible materials

Acids. Bases. Amines.

### 10.6. Hazardous decomposition products

On heating: release of toxic/combustible gases/vapours (hydrogen cyanide). Phosphorus oxides. Reacts with (some) acids: release of toxic and corrosive gases/vapours (nitrous vapours). At very high temperature: release of toxic and corrosive gases/vapours e.g.: hydrogen chloride. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Harmful if inhaled.

#### Speedero

ATE CLP (gases)	4500 ppmv/4h
-----------------	--------------

#### dimethyl ether, liquefied, under pressure (115-10-6)

LC50 Inhalation - Rat [ppm]	164000 ppm (4 h, Rat, Male, Experimental value, Inhalation (gases), 14 day(s))
ATE CLP (gases)	164000 ppmv/4h

#### Polymethylene polyphenyl isocyanate (9016-87-9)

LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	10000 mg/kg (OECD 402 method)
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1,5 mg/l/4h

#### Reaction mass of tris(2-chloropropyl) phosphate and tris(2-chloro-1-methylethyl) phosphate and Phosphoric acid, bis(2-chloro-1-methylethyl) 2-chloropropyl ester and Phosphoric acid, 2-chloro-1-methylethyl bis(2-chloropropyl) ester

ATE CLP (oral)	500 mg/kg bodyweight
----------------	----------------------

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Suspected of causing cancer.  
Reproductive toxicity : Not classified  
STOT-single exposure : May cause respiratory irritation.

#### Polymethylene polyphenyl isocyanate (9016-87-9)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

### Polymethylene polyphenyl isocyanate (9016-87-9)

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure (if inhaled).

Aspiration hazard : Not classified

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

#### dimethyl ether, liquefied, under pressure (115-10-6)

LC50 - Fish [1] > 4100 mg/l (NEN 6504: Water - Determination of toxicity with *Poecilia reticulata*, 96 h, *Poecilia reticulata*, Semi-static system, Fresh water, Experimental value, Lethal)

EC50 - Crustacea [1] > 4400 mg/l (NEN 6501: Water - Determination of toxicity with *Daphnia magna*, 48 h, *Daphnia magna*, Static system, Fresh water, Experimental value, Lethal)

EC50 96h - Algae [1] 154,9 mg/l (ECOSAR v1.00, Algae, QSAR, Estimated value)

#### Polymethylene polyphenyl isocyanate (9016-87-9)

LC50 - Other aquatic organisms [1] > 1000 mg/l (96 h, Literature study)

### 12.2. Persistence and degradability

#### dimethyl ether, liquefied, under pressure (115-10-6)

Persistence and degradability Non degradable in the soil. Not readily biodegradable in water.

#### Polymethylene polyphenyl isocyanate (9016-87-9)

Persistence and degradability Not readily biodegradable in water.

### 12.3. Bioaccumulative potential

#### dimethyl ether, liquefied, under pressure (115-10-6)

Partition coefficient n-octanol/water (Log Pow) 0,1 (Experimental value)

Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).

#### Polymethylene polyphenyl isocyanate (9016-87-9)

BCF - Fish [1] 1 (Pisces, Literature study)

Partition coefficient n-octanol/water (Log Pow) 10,46 (Calculated, KOWWIN)

Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).

### 12.4. Mobility in soil

#### dimethyl ether, liquefied, under pressure (115-10-6)

Surface tension No data available in the literature

Ecology - soil Not applicable (gas).



# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Polymethylene polyphenyl isocyanate (9016-87-9)

Organic Carbon Normalized Adsorption Coefficient (Log Koc) 9,078 – 10,597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

Ecology - soil Adsorbs into the soil.

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Disposal must be done according to official regulations. Do not dispose of with domestic waste. Hazardous waste.

Additional information : Avoid direct discharge into drains. Do not allow product to spread into the environment.

European List of Waste (LoW) code : 08 05 01\* - waste isocyanates  
16 05 04\* - gases in pressure containers (including halons) containing dangerous substances  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1950

UN-No. (IMDG) : UN 1950

UN-No. (IATA) : UN 1950

UN-No. (ADN) : UN 1950

UN-No. (RID) : UN 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS

Proper Shipping Name (RID) : AEROSOLS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



#### IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



### IATA

Transport hazard class(es) (IATA) : 2.1  
Danger labels (IATA) : 2.1



### ADN

Transport hazard class(es) (ADN) : 2.1  
Danger labels (ADN) : 2.1



### RID

Transport hazard class(es) (RID) : 2.1  
Danger labels (RID) : 2.1



## 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

## 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : 5F  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E0  
Transport category (ADR) : 2  
Tunnel restriction code (ADR) : D

### Transport by sea

No data available

### Air transport

PCA Excepted quantities (IATA) : E0  
PCA limited quantity max net quantity (IATA) : 30kgG

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

Classification code (ADN) : 5F  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E0

### Rail transport

Classification code (RID) : 5F  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E0  
Transport category (RID) : 2

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3(a)	Speedero
3(b)	Speedero ; Polymethylene polyphenyl isocyanate

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

VOC content : 19,79 – 20,56 % (187,96 g/L - 195,34 g/L)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Other information : Technical information service (see point 1):  
A call to Knauf Direkt will be charged at 0.39 € per minute. Callers, the telephone numbers of whom are not saved in the Knauf Gips KG address database, e.g. private property owners or noncustomers, will pay 1.69 € per minute from the German network. Callers using mobile telephones will be charged according to the network provider and tariff.

##### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Carc. 2	Carcinogenicity, Category 2

# Speedero

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1A	Flammable gases, Category 1A
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
Press. Gas	Gases under pressure
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Knauf SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.