



DECLARATION OF PERFORMANCE

No 0010_Knauf Katja Sprint_2020-03-03

1. Unique identification code of the product-type: **Knauf Katja Sprint**
2. Intended use/es: **Bitumen damp proof sheets including basement tanking sheets** **Bitumen water vapour control layers** **Bitumen damp proof courses**
3. Manufacturer: **Knauf Gips KG | Am Bahnhof 7 | D-97346 Iphofen**
Tel: +49 (9323) 31-0
Fax: +49 (9323) 31-277
e-mail: zentrale@knauf.de
4. Authorised representative: **not relevant**
5. System/s of AVCP: **System 2 +** **System 3** **System 3**
6. a) Harmonised standard: **EN 13969:2004/A1:2006** **EN 13970:2004/A1:2006** **EN 14967:2006**
Notified body/ies: **GPB (NB 1724)** **MPA Stuttgart (NB 0672)** **MPA Stuttgart (NB 0672)**
6. b) European Assessment Document: **not relevant**
European Technical Assessment: **not relevant**
Technical Assessment Body: **not relevant**
Notified body/ies: **not relevant**

7. Declared performance/s:

Essential characteristics	Performance		
	EN 13969:2004/A1:2006	EN 13970:2004/A1:2006	EN 14967:2006
Reaction to fire	E	E	E
Watertightness	passed	passed	passed
Tensile Properties			
Max. Tensile force length	≥ 400 N/50mm	≥ 400 N/50mm	
Max. Tensile force transverse	≥ 280 N/50mm	≥ 280 N/50mm	
Elongation at max. tensile force length	≥ 2 %	≥ 2 %	
Elongation at max. tensile force transverse	≥ 2 %	≥ 2 %	
Cold bending behaviour	≤ - 20 °C	≤ - 20 °C	≤ - 20 °C
Resistance against static load Method A	NPD		
Resistance against impact load	NPD	NPD	NPD
Resistance against tear propagation length	NPD	NPD	
Resistance against tear propagation transverse	NPD	NPD	
Shear resistance of joints			
Shear resistance length	160 N/50mm	160 N/50mm	
Shear resistance transverse	160 N/50mm	160 N/50mm	
Durability			
Watertightness after ageing	NPD	NPD	NPD
Chemical resistance	NPD	NPD	NPD
Water vapour permeability		1500 m	
Dangerous substances ^{a) b)}	requirements are met	requirements are met	requirements are met

^{a)} Product does not contain asbestos or tar

^{b)} Because there is no European test method for leaching of the products, no statement can be made

8. Appropriate Technical Documentation and/or Specific Technical Documentation: **not relevant**



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

lphofen, 2020-03-03

i. V. Dr. Wolfgang Rümmler
(Head of Research & Development D/CH | Knauf Gips KG)

i. V. Dr. Matthias Büttner
(Head of research area flooring | Knauf Gips KG)